EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	((Extensible adj3 Markup adj3 Language) XML) near10 (instance schema file document template) near20 (configur$5 near20 (wireless cordless cellular wap handheld) near10 (device apparatus computer phone telephone server client)) and ((identif$3 address $3) near10 element) and (encrypt$3 near10 element) and authentic $5 and mode and connect $3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/02 11:29
L2	2	((Extensible adj3 Markup adj3 Language) XML) near10 (instance schema file document template) near20 (configur$5 near20 (wireless cordless cellular wap handheld) near10 (device apparatus computer phone telephone server client)) and ((identif$3 address $3) near10 element) and (encrypt$3 near10 element) and authentic $5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/02 11:30
L3	3	"20030081791"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/02 11:31
L6	45	((Extensible adj3 Markup adj3 Language) XML) near10 (instance schema file document template) near20 (configur$5 near20 (wireless cordless cellular wap handheld))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/02 11:44

L7	8	(((Extensible adj3 Markup adj3 Language) XML) near10 (instance schema file document template) near20 (configur$5 near20 (wireless cordless cellular wap handheld)) AND (READ$5 NEAR5 CONFIG$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/02 11:44
L8	15	(((Extensible adj3 Markup adj3 Language) XML) near10 (instance schema file document template) near20 (configur$5 near20 (wireless cordless cellular wap handheld)) AND ((READ$5 GENERAT $3) NEAR5 CONFIG$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/02 11:44
L9	7	(((Extensible adj3 Markup adj3 Language) XML) near10 (instance schema file document template) near20 (configur$5 near20 (wireless cordless cellular wap handheld)) AND ((READ$5 GENERAT $3) NEAR5 CONFIG$5 NEAR5 (FIle instance settings))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/02 11:45
L10	6	(((Extensible adj3 Markup adj3 Language) XML) near10 (instance schema file document template) near20 (configur$5 near20 (wireless cordless cellular wap handheld)) AND ((READ$5 GENERAT $3) NEAR5 CONFIG$5 NEAR5 (FIle instance settings)) and encrypt$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/02 11:45
L11	6	(((Extensible adj3 Markup adj3 Language) XML) near10 (instance schema file document template) near20 (configur$5 near20 (wireless cordless cellular wap handheld)) AND ((READ$5 GENERAT $3) NEAR5 CONFIG$5 NEAR5 (FIle instance settings)) and (encrypt$3 near10 key)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/02 11:46

L12	26153	((709/220) or (709/226) or (709/221) or (709/222) or (709/227) or (709/226) or (709/217) or (709/204) or (380/282) or (380/47) or (380/44) or (380/46)). CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/02 11:51
L13	4	12 and 8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/02 11:51
L14	301484	((Scott Manchester).inv. (Dalen Abraham).inv. (Mohammad Shabbir Alam).inv. (Jean-Pierre Duplessis).inv. (Trevor "W." Freeman).inv. (Bill Hanlon).inv. (Anton "W." Krantz).inv. (Benjamin Nick).inv. (microsoft. asn.))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/02 11:55
L15	18	((Scott Manchester).inv. (Dalen Abraham).inv. (Mohammad Shabbir Alam).inv. (Jean-Pierre Duplessis).inv. (Trevor "W." Freeman).inv. (Bill Hanlon).inv. (Anton "W." Krantz).inv. (Benjamin Nick).inv. (microsoft. asn.)) and 6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/02 11:55
L16	6	((Extensible adj3 Markup adj3 Language) XML) near10 (instance schema file document template) near20 (configur$5 near20 (wireless cordless cellular wap handheld)). clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/02 11:59
S1	71	(encrypt$3 adj3 key)with xml	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/11 00:03
S2	7	(encrypt$3 adj3 key)with xml and clon$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/11 00:04

S3	11	(encrypt$3 adj3 key)with xml and (wireless with configur$)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/11 00:05
S4	11	(encrypt$3 adj3 key)with (xml or (extensible adj2 markup adj2 language)) and (wireless with configur$)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/11 00:06
S5	6	(encrypt$3 adj3 key)with (xml or (extensible adj2 markup adj2 language)) and (wireless with configur$) and identif$	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/11 00:06
S6	7	(encrypt$3 adj3 key)with (xml or (extensible adj2 markup adj2 language)) and (wireless with configur$) and (identif$ or "ID" or "UID" or (network$3 adj3 address))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/11 00:07
S7	274126	ier	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/11 00:07
S8	6	(encrypt$3 adj3 key)with (xml or (extensible adj2 markup adj2 language)) and (wireless with configur$) and (identifier or "ID" or "UID" or (network$3 adj3 address))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/11 12:03
S9	17	(encrypt$3 adj3 key) same (xml or (extensible adj2 markup adj2 language)) and (wireless with configur$) and (identifier or "ID" or "UID" or (network$3 adj3 address))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/11 12:03
S10	3	((encrypt$3 adj3 key) same (xml or (extensible adj2 markup adj2 language)) same (wireless with configur$)) and (identifier or "ID" or "UID" or (network$3 adj3 address))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/11 12:05

S11	3	((encrypt$3 adj3 key) same (xml or (extensible adj2 markup adj2 language)) same (wireless with configur$)) and (identif$3 or "ID" or "UID" or (network$3 adj3 address))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/11 12:05
S12	3	((encrypt$3 adj3 key) same (xml or (extensible adj2 markup adj2 language)) same (wireless with configur$)) and (identif$3 or "ID" or "UID" or "URI" or (network$3 adj3 address))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/11 12:06
S13	3	((encrypt$3 adj3 key) same (xml or (extensible adj2 markup adj2 language)) same (wireless with configur$)) and (identif$3 or "ID" or "UID" or "URI" or ((network$3 or Internet or LAN or WAN or protocol) adj3 address))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/11 12:07
S14	7	((encrypt$3 near5 key) same (xml or (extensible adj2 markup adj2 language)) same (wireless with configur$)) and (identif$3 or "ID" or "UID" or "URI" or ((network$3 or Internet or LAN or WAN or protocol) adj3 address))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/11 12:30
S15	2	"7054924".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/11 12:31
S16	1	"7054924".pn. and key	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/11 12:34
S17	1	"6865607".pn. and key	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/11 12:34

S18	25	("20010034771" | "20020129132" | "20030074430" | "5404321" | "5513126" | "5761662" | "5790789" | "5832503" | "5991828" | "6185612" | "6195694" | "6250309" | "6370163" | "6374207" | "6513047" | "6519617" | "6553403" | "6567837" | "6571201" | "6574663" | "6594757" | "6775701").PN. OR ("7054924").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/11 13:33
S19	2	"20040024875"	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/11 13:34
S22	2	"20040010429"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/11 13:35
S23	6	"2004002943"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/11 13:35
S24	3	"20030101247"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/11 13:35
S25	2	"6052720".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/11 13:36
S26	35	("5806065").PN. OR ("6052720").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/11 13:36
S27	1	"5933504".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/11 13:37
S28	20	("4351982" | "4405829" | "4633036" | "4956863" | "5150411" | "5159632" | "5271061" | "5299263" | "5442707" | "5463690" | "5497423" | "5581616" | "5600725" | "5625692" | "5724425" | "5761305").PN. OR ("5933504").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/11 13:37
S29	1	"6,052,720".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/11 13:37

S30	35	("5806065").PN. OR ("6052720").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/11 13:38
S31	2	"6,078,667".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/11 13:39
S32	7	("4193131" | "4819267" | "4956863" | "5208853" | "5440640" | "5734720").PN. OR ("6078667").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/11 13:38
S33	2	"6,148,354".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/11 13:40
S34	39	("5404485" | "5799168" | "6012103" | "6028807" | "6044428").PN. OR ("6148354").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/11 13:39
S35	13	("20020174331" | "20020176366" | "20030045316" | "20040177166" | "6131125" | "6148354" | "6161104" | "6453334" | "6636894" | "6658461" | "6671725" | "6725238" | "6857009").PN. OR ("7231449").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/11 13:39
S36	2	"6,178,507".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/11 13:40
S37	29	("4748668" | "4890323" | "4995082" | "5218637" | "5299263" | "5400403" | "5406628" | "5627893" | "5721781" | "5748740" | "5793866" | "5805702" | "5825880" | "5870470" | "5881038" | "5907618" | "5917913" | "5955717" | "5960084" | "6038549" | "6041314").PN. OR ("6178507").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/11 13:40
S38	2	"6,195,433".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/11 13:40

S39	14	("5016274" | "5161244" | "5299262" | "5347581" | "5442707" | "5475763" | "5625695").PN. OR ("6195433").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/11 13:40
S40	0	2001/0014153	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/11 13:40
S41	1	"20010014153"	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/11 13:41
S42	1	"20020090085"	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/11 13:41
S43	1	"6,449,642".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/11 13:41
S44	53	("5142680" | "5247683" | "5263164" | "5394522" | "5555416" | "5586304" | "5717930" | "5805897" | "5809145" | "5838907" | "5845077" | "5845090" | "5875327" | "5931909" | "5941954" | "6006035" | "6012088" | "6029196" | "6047129" | "6066182" | "6073172" | "6094679" | "6098097" | "6105066" | "6125389" | "6151643" | "6202206" | "6256635" | "6266811" | "6286038" | "6292889" | "6292941" | "6295556" | "6301707" | "6324578").PN. OR ("6449642").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/11 13:41
S45	0	"200210152380"	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/11 13:42
S46	2	"20020152380"	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/11 13:42
S47	2	"20020152384"	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/11 13:42
S48	1	"6,526,264".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/11 13:42
S49	24	("20010010689" | "5768268" | "5889772" | "5923761" | "6370109" | "6400774" | "6400775").PN. OR ("6526264").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/11 13:42
S50	1	"6,563,928".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/11 13:42

S51	19	("4351982" | "4405829" | "4633036" | "4956863" | "5150411" | "5159632" | "5271061" | "5272755" | "5299263" | "5442707" | "5463690" | "5497423" | "5581616" | "5600725" | "5625692" | "5724425" | "5761305" | "5768388" | "5987131").PN. OR ("6563928").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/11 13:43
S52	0	"200310101247"	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/11 13:43
S53	2	"20030101247"	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/11 13:43
S54	2	"6,654,841".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/11 13:44
S55	23	("6315582" | "6435409" | "6438638" | "6522552" | "6524137" | "6557754" | "6563714" | "6567273").PN. OR ("6654841").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/11 13:44
S56	31	("6315582" | "6435409" | "6438638" | "6522552" | "6524137" | "6557754" | "6563714" | "6567273").PN. OR ("6654841").URPN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/11 13:44
S57	2	"20040002943"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/11 13:45
S58	2	"20040010429"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/11 13:45
S59	2	"6,687,492".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/11 13:46

| S60 | 89 | ("20010012764" \| "20010015994" \| "20010046255" \| "20010053143" \| "20020001316" \| "20020024975" \| "20020034191" \| "20020039884" \| "20020064246" \| "20020067309" \| "20020072392" \| "20020085643" \| "20020102950" \| "20020111142" \| "20020118781" \| "20020122383" \| "20020122501" \| "20020127978" \| "20020136170" \| "20020141355" \| "20020158801" \| "20020159537" \| "20020172269" \| "20020196842" \| "20030002450" \| "20030032423" \| "20030108117" \| "20030125090" \| "20030139194" \| "4599734" \| "4639914" \| "5274844" \| "5394435" \| "5437055" \| "5491723" \| "5507035" \| "5577265" \| "5610617" \| "5982327" \| "6008760" \| "6037898" \| "6038272" \| "6044120" \| "6058105" \| "6097771" \| "6122260" \| "6124824" \| "6144711" \| "6147985" \| "6157340" \| "6177906" \| "6195045" \| "6211671" \| "6252548" \| "6298092" \| "6307882" \| "6317466" \| "6327310" \| "6331837" \| "6349219" \| "6351499" \| "6362781" \| "6369758" \| "6370182" \| "6377631" \| "6377636" \| "6377819" \| "6400699" \| "6400780" \| "6442214").PN. OR ("6687492").URPN. | US-PGPUB; USPAT; USOCR | OR | ON | 2007/09/11 13:46 |
| S61 | 2 | "20040024875" | US-PGPUB; USPAT; USOCR | OR | ON | 2007/09/11 13:46 |

S62	0	"200410038592"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/11 13:47
S63	3	"6,700,450".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/11 13:47
S64	6	("3838564" | "5418497" | "5834983" | "5856763" | "6060956" | "6268777").PN. OR ("6700450").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/11 13:47
S65	1	"6,714,605".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/11 13:47
S66	56	("20010055952" | "20020086641" | "20020142744" | "20020154614" | "20020155811" | "20020177446" | "20030050014" | "20030067662" | "3992666" | "4054785" | "4084245" | "4166980" | "4227255" | "4336541" | "4501020" | "4597107" | "4818949" | "4839582" | "4947338" | "4950999" | "5005210" | "5144642" | "5210820" | "5230087" | "5271036" | "5303262" | "5323337" | "5432862" | "5436556" | "5574979" | "5697078" | "5706202" | "5745777" | "5905949" | "5956638" | "6084919" | "6130907" | "6229997" | "6229998" | "6233529" | "6349198" | "6374082" | "6385434" | "6484111" | "6509728" | "6584419").PN. OR ("6714605").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/11 13:47
S67	1	"6,728,517".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/11 13:47

S68	34	("20010015994" | "20030035491" | "4580289" | "5220688" | "5606736" | "5715529" | "5752169" | "5758265" | "5832375" | "5878332" | "5966666" | "5974306" | "6125266" | "6252548" | "6259895" | "6282413" | "6351502" | "6477148"). PN. OR ("6728517"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/11 13:48
S69	1	"6,785,520".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/11 13:48
S70	61	("20010012764" | "20010015994" | "20010046255" | "20010053143" | "20020001316" | "20020024975" | "20020064246" | "20020072392" | "20020122501" | "20020136170" | "20020141355" | "20020196842" | "20030002450" | "20030032423" | "20030108117" | "20030125090" | "20030139194" | "4599734" | "4639914" | "5274844" | "5394435" | "5437055" | "5491723" | "5507035" | "5577265" | "5982327" | "6008760" | "6037898" | "6038272" | "6044120" | "6058105" | "6097771" | "6122260" | "6124824" | "6141393" | "6144711" | "6147985" | "6157340" | "6177906" | "6195045" | "6211671" | "6252548" | "6307882" | "6317466" | "6327310" | "6331837" | "6349219" | "6351499" | "6369758" | "6442214" | "6462709" | "6463295" | "6473467" | "6584161" | "6636568"). PN. OR ("6785520"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/11 13:48
S71	1	"6,850,735".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/11 13:48

S72	52	("20010019543" | "20020086641" | "20020137485" | "20020142744" | "20020154614" | "20020155811" | "20020173272" | "20030040277" | "20030050012" | "20030123420" | "20030198200" | "20030198304" | "20030224741" | "20040023674" | "20040028003" | "20040028123" | "3609553" | "3812291" | "4166980" | "4227255" | "4271523" | "4501020" | "4597107" | "4845707" | "4947338" | "4979211" | "5005210" | "5144642" | "5210820" | "5353346" | "5432862" | "5608727" | "5651030" | "5687163" | "5832038" | "5905949" | "5912922" | "6084919" | "6240282" | "6240372" | "6385434" | "6463294" | "6466614" | "6519541"). PN. OR ("6850735"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/11 13:48
S73	516	S18 S19 S20 S21 S22 S23 S24 S25 S26 S28 S30 S32 S34 S35 S37 S39 S40 S41 S42 S43 S44 S46 S47 S49 S51 S53 S55 S57 S58 S60 S61 S63 S66 S68 S70 S72	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/11 13:59
S74	12	("6064880" | "6230082" | "6363249" | "6414146" | "6421673" | "6445932" | "6496949" | "6539461" | "6549773" | "6574733" | "6625447" | "6714952").PN. OR ("6985719").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/11 14:00
S75	516	S73 S74	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/11 14:00
S76	0	S75 and ((encrypt$3 adj3 key)with (xml or (extensible adj2 markup adj2 language)) and (wireless with configur$))	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/11 14:01

S77	0	S75 and ((xml or (extensible adj2 markup adj2 language)) and (wireless with configur$))	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/11 14:01
S78	31	S75 and ((xml or (extensible adj2 markup adj2 language)))	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/11 14:01
S79	4	S75 and ((xml or (extensible adj2 markup adj2 language)) with configur$4)	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/11 14:02
S80	0	S75 and ((xml or (extensible adj2 markup adj2 language)) with configur$4) and encrypt $	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/11 14:02
S81	3	S75 and ((xml or (extensible adj2 markup adj2 language))same configur$4) and encrypt $	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/11 14:05
S82	1	S75 and ((xml or (extensible adj2 markup adj2 language))same configur$4) and (encrypt $ same (identifier or "ID" or "URI"or "UID"))	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/11 14:10
S83	25455	clon$3 with ((media adj3 acess$3 aadj3 control$4) or "MAC")	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/11 14:11
S84	81	clon$3 with ((media adj3 acess$3 aadj3 control$4) or "MAC") with address $3	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/11 14:11
S85	8	clon$3 with ((media adj3 acess$3 aadj3 control$4) or "MAC") with address $3 and ("DNS" or (domain adj2 name adj2 server))	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/11 14:12
S86	4	clon$3 with ((media adj3 acess$3 aadj3 control$4) or "MAC") with address $3 and ("DNS" or (domain adj2 name adj2 server)) and xml	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/11 14:13
S87	4	clon$3 with ((media adj3 acess$3 aadj3 control$4) or "MAC") same address $3 and ("DNS" or (domain adj2 name adj2 server)) and xml	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/11 14:13

S88	8	clon$3 same ((media adj3 acess$3 aadj3 control$4) or "MAC") same address$3 and ("DNS" or (domain adj2 name adj2 server)) and xml	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/11 14:14
S89	908	"801.1"	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/11 14:14
S90	1219	"802.1"	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/11 14:15
S91	52	"802.1" and time-to-live	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/11 14:15
S92	6	xml and "802.1" and time-to-live	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/11 14:16
S93	6	(xml or (extensible adj3 markup adj3 language)) and "802.1" and time-to-live	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/11 14:18
S94	50	(xml or (extensible adj3 markup adj3 language)) and "802.1"	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/11 14:18
S95	2	(xml or (extensible adj3 markup adj3 language)) same "802.1"	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/11 14:19
S96	96822	(network$3 near5 configur$) "802.1"	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/11 14:20
S97	511	(network$3 near5 configur$) and "802.1"	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/11 14:20
S98	26	(network$3 near5 configur$) and "802.1" and xml	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/11 14:20
S99	6	(network$3 near5 configur$) and "802.1" and xml and time-to-live	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/11 14:20
S100	8	(network$3 near5 configur$) and "802.1" and xml and (time-to-live or (time adj3 live))	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/11 14:20
S101	2	"20040043758"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 14:38
S102	1	S101 and (network near10 identif$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 14:39

S103	3	"20030081791"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 14:45
S104	2	"20030081791" and authentic$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 14:46
S105	0	"20030081791" and authentic$4 with (key or type or element)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 14:46
S106	1	S101 and (network near10 identif$3) and authentic$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 14:49
S107	0	S101 and (network near10 identif$3) and (authentic$4 with element)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 14:49
S108	1	S101 and (network near10 identif$3) and authentic$4 and connect $3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 14:52
S109	2	"20030081791" and authentic$4 and connect $3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 14:54
S110	2677	xml near20 config$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 14:57
S111	0	xml near5 schmema near20 config$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 14:58
S112	226	xml near5 schema near20 config$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 14:58

S113	30	xml near5 schema near20 config$5 and (encrypt and configur$5 and connect$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 14:59
S114	30	xml near5 schema near20 config$5 and (encrypt and configur$5 and connect$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 14:59
S115	27	xml near5 schema near20 config$5 and ((encrypt near5 (element or type or key)) and configur$5 and connect $3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 14:59
S116	8	xml near5 schema near20 config$5 and ((encrypt near5 (element or type or key)) and (configur$5 near5 (element or type or key)) and connect$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 15:00
S117	6	xml near5 schema near20 config$5 and ((encrypt near5 (element or type or key)) and (configur$5 near5 (element or type or key)) and (connect$3 near5 (element or type or key)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 15:00
S118	7	"802.1" near5 element	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 15:07
S119	0	"802.1" near5 (xml near5 (type or element))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 15:08
S120	11	"802.1" and (xml near5 (type or element))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 15:08
S121	8	(network$3 near5 configur$) and "802.1" and xml and (time-to-live or (time adj3 live))	US-PGPUB; USPAT; USOCR	OR	ON	2008/02/28 15:08

S122	8	(network$3 near5 configur$) and "802.1" and xml and (time-to-live or (time adj3 live))	US-PGPUB; USPAT; USOCR	OR	ON	2008/02/28 15:15
S123	44	(network$3 near5 configur$) and ("802.1"or "802.11") and xml and (time-to-live or (time adj3 live))	US-PGPUB; USPAT; USOCR	OR	ON	2008/02/28 15:15
S124	77	(configur$) and ("802.1"or "802.11") and xml and (time-to-live or (time adj3 live))	US-PGPUB; USPAT; USOCR	OR	ON	2008/02/28 15:16
S125	12	(configur$ near10 xml) and ("802.1"or "802.11") and (time-to-live or (time adj3 live))	US-PGPUB; USPAT; USOCR	OR	ON	2008/02/28 15:16
S126	5	(configur$ near10 xml) near20 schema and ("802.1"or "802.11") and (time-to-live or (time adj3 live))	US-PGPUB; USPAT; USOCR	OR	ON	2008/02/28 15:16
S127	5	(configur$ near10 xml) near20 schema and ("802.1"or "802.11") and (time-to-live or (time adj3 live))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 15:16
S128	1	(configur$ near10 xml) near20 schema and ("802.1"or "802.11") and (time-to-live or (time adj3 live)) and (identif$3 near10 element)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/19 13:03
S129	3	(configur$ near10 xml) near20 schema and ("802.1"or "802.11") and (time-to-live or (time adj3 live)) and ((identif$3 address$3) near10 element)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/19 13:03
S130	3	(configur$ near10 xml) near20 schema and ("802.1"or "802.11") and (time-to-live or (time adj3 live)) and ((identif$3 address$3) near5 element)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/19 13:04
S131	2	"6,636,249".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/19 13:22

S132	50	Erickson.inv. and xml	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/19 17:56
S133	3138654	Erickson.inv. and xmland configur$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/19 17:57
S134	32	Erickson.inv. and xml and configur$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/19 17:57
S135	13	Erickson.inv. and xml same configur$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/19 17:57
S136	0	Erickson.inv. and xml same configur$5 and identif$3 near5 element	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/19 17:57
S137	0	Erickson.inv. and xml same configur$5 and identif$3 near5 tag$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/19 17:57
S138	12	Erickson.inv. and xml same configur$5 and identif$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/19 17:58
S139	4	Erickson.inv. and xml same configur$5 and identif$3 same encrypt$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/19 17:58
S140	36310	((Extensible adj3 Markup adj3 Language) XML) near10 (instance schema file document template)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/19 20:34

S141	30	((Extensible adj3 Markup adj3 Language) XML) near10 (instance schema file document template) near20 (configur$5 near20 (wireless cordless cellular wap handheld) near10 (device apparatus computer phone telephone server client))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/19 20:38
S142	7	((Extensible adj3 Markup adj3 Language) XML) near10 (instance schema file document template) near20 (configur$5 near20 (wireless cordless cellular wap handheld) near10 (device apparatus computer phone telephone server client)) and ((identif$3 address $3) near10 element)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/19 20:38
S143	2	((Extensible adj3 Markup adj3 Language) XML) near10 (instance schema file document template) near20 (configur$5 near20 (wireless cordless cellular wap handheld) near10 (device apparatus computer phone telephone server client)) and ((identif$3 address $3) near10 element) and (encrypt$3 near10 element)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/19 20:39
S144	2	((Extensible adj3 Markup adj3 Language) XML) near10 (instance schema file document template) near20 (configur$5 near20 (wireless cordless cellular wap handheld) near10 (device apparatus computer phone telephone server client)) and ((identif$3 address $3) near10 element) and (encrypt$3 near10 element) and authentic $5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/19 20:40

S145	1	((Extensible adj3 Markup adj3 Language) XML) near10 (instance schema file document template) near20 (configur$5 near20 (wireless cordless cellular wap handheld) near10 (device apparatus computer phone telephone server client)) and ((identif$3 address $3) near10 element) and (encrypt$3 near10 element) and authentic $5 and mode	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/19 20:41
S146	2	((Extensible adj3 Markup adj3 Language) XML) near10 (instance schema file document template) near20 (configur$5 near20 (wireless cordless cellular wap handheld) near10 (device apparatus computer phone telephone server client)) and ((identif$3 address $3) near10 element) and (encrypt$3 near10 element) and authentic $5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 09:47
S147	2	((Extensible adj3 Markup adj3 Language) XML) near10 (instance schema file document template) near20 (configur$5 near20 (wireless cordless cellular wap handheld) near10 (device apparatus computer phone telephone server client)) and ((identif$3 address $3) near20 element) and (encrypt$3 near10 element) and authentic $5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 09:48

S148	2	((Extensible adj3 Markup adj3 Language) XML) near10 (instance schema file document template) near20 (configur$5 near20 (wireless cordless cellular wap handheld) near10 (device apparatus computer phone telephone server client)) and ((identif$3 address $3) near20 element) and (encrypt$3 near20 element) and authentic $5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 09:48
S149	2	((Extensible adj3 Markup adj3 Language) XML) near10 (instance schema file document template) near20 (configur$5 near20 (wireless cordless cellular wap handheld)) and ((identif$3 address $3) near20 element) and (encrypt$3 near20 element) and authentic $5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 09:48
S150	9	((Extensible adj3 Markup adj3 Language) XML) near10 (instance schema file document template) near20 (configur$5 near20 (wireless cordless cellular wap handheld device apparatus computer phone telephone server client)) and ((identif$3 address $3) near20 element) and (encrypt$3 near20 element) and authentic $5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 09:49
S151	4	((Extensible adj3 Markup adj3 Language) XML) near10 (instance schema file document template) near20 (configur$5 near20 (wireless cordless cellular wap handheld device apparatus computer phone telephone server client)) and ((identif$3 address $3) near20 element) and (encrypt$3 near20 element) and authentic	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 09:49

		$5 and mode				
S152	4	((Extensible adj3 Markup adj3 Language) XML) near10 (instance schema file document template) near20 (configur$5 near20 (wireless cordless cellular wap handheld device apparatus computer phone telephone server client)) and ((identif$3 address $3) near20 element) and (encrypt$3 near20 element) and authentic $5 and mode and key	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 09:49
S153	0	((Extensible adj3 Markup adj3 Language) XML) near10 (instance schema file document template) near20 (configur$5 near20 (wireless cordless cellular wap handheld device apparatus computer phone telephone server client)) and ((identif$3 address $3) near20 element) and (encrypt$3 near20 element) and authentic $5 and mode and key and "801"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 09:50
S154	2	((Extensible adj3 Markup adj3 Language) XML) near10 (instance schema file document template) near20 (configur$5 near20 (wireless cordless cellular wap handheld device apparatus computer phone telephone server client)) and ((identif$3 address $3) near20 element) and (encrypt$3 near20 element) and authentic $5 and mode and key and "802"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 09:50

S155	63	(configur$5 near11 (wireless network remote $4)near10 (device apparatus client server host)) and ((Extensible adj3 Markup adj3 Language) XML) near10 (instance schema file document template) near20 (identif$3 near5 element)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 15:47
S156	2	(configur$5 near11 (wireless network remote $4)near10 (device apparatus client server host)) and ((Extensible adj3 Markup adj3 Language) XML) near10 (instance schema file document template) near20 (identif$3 near5 element) near20 (encrypt$3 near5 element)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 15:48
S157	4	(configur$5 near11 (wireless network remote $4)near10 (device apparatus client server host)) and ((Extensible adj3 Markup adj3 Language) XML) near10 (instance schema file document template) near20 (identif$3 near5 element) and (encrypt$3 near5 element)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 15:49
S158	4	(configur$5 near11 (wireless network remote $4)near10 (device apparatus client server host)) and ((Extensible adj3 Markup adj3 Language) XML) near10 (instance schema file document template) near20 (identif$3 near5 element) and (encrypt$3 near5 element) and authenticat$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 15:49

S159	3	(configur$5 near11 (wireless network remote $4)near10 (device apparatus client server host)) and ((Extensible adj3 Markup adj3 Language) XML) near10 (instance schema file document template) near20 (identif$3 near5 element) and (encrypt$3 near5 element) and (authenticat$3 near10 element)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 15:50
S160	2	(configur$5 near11 (wireless network remote $4)near10 (device apparatus client server host)) and ((Extensible adj3 Markup adj3 Language) XML) near10 (instance schema file document template) near20 (identif$3 near5 element) and (encrypt$3 near5 element) and (authenticat$3 near10 element) and (key near20 element)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 15:50
S161	5811	((Extensible adj3 Markup adj3 Language) XML) near10 version	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 15:54
S162	470	((Extensible adj3 Markup adj3 Language) XML) near10 version near30 element	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 15:54
S163	799	((Extensible adj3 Markup adj3 Language) XML) near10 version and (element near10 identifier)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 15:54
S164	4	((Extensible adj3 Markup adj3 Language) XML) near10 version and (element near10 identifier) same (element near10 encrypt$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 15:55

S165	17	((Extensible adj3 Markup adj3 Language) XML) near10 (document file instance script) and (element near10 identifier) same (element near10 encrypt$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 16:15
S166	11	((Extensible adj3 Markup adj3 Language) XML) near10 (document file instance script) and (element near10 identifier) same (element near10 encrypt$3)same key near10 element	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 16:15
S167	11	((Extensible adj3 Markup adj3 Language) XML) near10 (document file instance script) and (element near10 identifier) same (element near10 encrypt$3)same key near10 element and ((session key) near10 element)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 16:16
S168	11	((Extensible adj3 Markup adj3 Language) XML) near10 (document file instance script) and (element near10 identifier) same (element near10 encrypt$3)same key near10 element and ((session key) near10 element)and ((key) near10 element)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 16:16
S169	6	((Extensible adj3 Markup adj3 Language) XML) near10 (document file instance script) and (element near10 identifier) same (element near10 encrypt$3)same key near10 element and ((session) near10 element)and ((key) near10 element)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 16:16
S170	2	S168 and S155	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 16:26

S171	2	"20040002943"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 16:26
S172	0	"20030081791" and authentic$4 with (key or type or element)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 16:29
S173	3	"20030081791" and (key or type or element)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 16:29
S174	0	"20030081791" and session near40 instance near50 identif$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 16:53
S175	2	"20030081791" and session near40 identif$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 16:53
S176	2	"20030081791" and session near40 instance	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 16:54
S177	1	(DHCP near5 element) and S155	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 16:59
S178	5705	(configur$5 near11 (wireless network remote $4)near10 (device apparatus client server host)) and ((Extensible adj3 Markup adj3 Language) XML) near10 (instance schema file document template)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 17:00
S179	5	(configur$5 near11 (wireless network remote $4)near10 (device apparatus client server host)) and ((Extensible adj3 Markup adj3 Language) XML) near10 (instance schema file document template) and (DHCP near5 element)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 17:00

S180	9	(configur$5 near11 (wireless network remote $4)near10 (device apparatus client server host)) and ((Extensible adj3 Markup adj3 Language) XML) and (DHCP near5 element)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 17:02
S181	9	(configur$5 near11 (wireless network remote $4)near10 (device apparatus client server host)) and ((Extensible adj3 Markup adj3 Language) XML) and (DHCP near5 element)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/21 08:17
S182	7	(configur$5 near11 (wireless network remote $4)near10 (device apparatus client server host)) and ((Extensible adj3 Markup adj3 Language) XML) and (DHCP near5 element) and ATM	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/21 08:17
S183	8	(configur$5 near11 (wireless network remote $4)) and ((Extensible adj3 Markup adj3 Language) XML) and (DHCP near5 element) and ATM	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/21 08:18

9/2/09 12:15:57 PM
C:\ Documents and Settings\ jjeangilles\ My Documents\ EAST\ Workspaces\ 10806331nov08.wsp